
## June 2015 Questions A

Q1. Transformers are used to change potential differences (p.d.) in the National Grid.

**Figure 1** shows a step-up transformer that is used at a power station.



(a) (i) Use words from the box to label **Figure 1**.

Input p.d.	Iron core	Output p.d.
Primary coil	Secon	dary coil

(4)

(ii) One of the coils in **Figure 1** has a p.d. of 25 kV across it and has 1000 turns.

The other coil has a p.d. of 400 kV across it.

Calculate the number of turns on this other coil.

Use the correct equation from **Section C** of the Physics Equations Sheet.

.....

.....


Number of turns = .....

(2)

(iii) Exp	lain why a step-up transformer is used at a power station.	
		(3)
Figure 2	shows a mobile phone charger.	
	Figure 2	
The charg	ger contains a step-down transformer. A switch mode transformer is used rather iditional transformer.	
Describe traditional	the advantages of using a switch mode transformer in the charger rather than a l transformer.	
	(Total 12 mark	(3) (s)

(b)

## **Q2.**(a) **Figure 1** shows a section through a human eye.



Write the correct letter,  $\bf A$ ,  $\bf B$ ,  $\bf C$  or  $\bf D$ , in each empty box to identify the parts of the eye labelled in **Figure 1**.

Part of the eye	A, B, C or D
Cornea	
Lens	
Retina	

(3)

(b) The table shows how the mass of 1 cm³ of different materials varies with refractive index.

Material	Refractive index	Mass in g
Water	1.33	1.00
Glass X	1.52	2.54
Glass Y	1.70	2.93
Glass Z	1.81	3.37

(1)	Describe the pattern shown in above table.
( )	•

(1)


(ii)	Lenses used for correcting visual defects often have a low refractive index. State <b>one</b> advantage and <b>one</b> disadvantage of using lenses with a high refractive index for correcting visual defects.		
	Advantage		
	Disadvantage		
(iii)	The eyesight of a person can change throughout their lifetime. Scientists have designed cheap spectacles that allow the wearer to change the focal length of the lenses as their eyesight changes.		
	Two designs are:		
	<ul> <li>using water-filled lenses where water is pumped in or out of the lens to change its shape</li> </ul>		
	<ul> <li>using a pair of specially shaped lenses for each eye that are able to slide across each other.</li> </ul>		
	Figure 2 shows these two designs.		
	Figure 2		
	Spectacles with water-filled lenses  Spectacles with sliding lenses made from glass Z		
	Water store and pump  Knob to adjust position of sliding lens		
	Suggest one advantage and one disadvantage of each design.		

(2)

(c) **Figure 3** shows parallel rays of white light from a distant point being refracted towards a screen by a lens.

The lens is made from a glass with a much greater refractive index than glass normally used for correcting visual defects.

Figure 3




What would you notice about the image on the screen?

State **two** observations.

1	
2	
	(Zotal 12 marks

## June 2015 Answers A

## **M1.**(a) (i)



(ii) 16 000

allow 1 mark for correct substitution

ie  $400 \div 25 = n \div 1000$ 

(iii) p.d. increased (by transformer at power station) do not accept energy increased

so current decreases

this reduces energy / power loss (in cables)

allow heat for energy

allow increases the efficiency

do **not** accept no energy losses

(b) smaller / lighter

uses little power / energy

when left switched on with no load applied dependent on second marking point

**M2.**(a) B must be in correct order

A

1

1 1 1

2

1

1

1

1

[12]

1

1

inverted diminished.

accept not focussed

[12]